

## 珠巢型

Needle roller and cage assemblies

引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE




KUZ




KU

KTE KUZ KU



KTE



KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series          |                    |                     |
|---------------------------|-------------------------|--------------------|---------------------|
| mm                        | KTE<br>K dr X Dr X B    | KU 分離式             | KUZ 一體式             |
| 8                         | <b>KTE 8X12X8</b>       |                    |                     |
| 12                        | <b>KTE 12X16X10</b>     |                    |                     |
|                           | <b>KTE 12X17X10</b>     |                    |                     |
| 13                        | <b>KTE 13X18X10</b>     |                    |                     |
|                           | <b>KTE 13X18X12</b>     |                    |                     |
| 14                        | <b>KTE 14X19X12</b>     |                    |                     |
|                           | <b>KTE 14X20X10</b>     |                    |                     |
|                           | <b>KTE 14.1X20.1X12</b> |                    |                     |
|                           | <b>KTE 14.4X20.4X10</b> |                    |                     |
| 15                        | <b>KTE 15X20X10</b>     |                    |                     |
|                           |                         | <b>KU 15X21X11</b> |                     |
| 16                        | <b>KTE 16X21X10</b>     |                    |                     |
|                           | <b>KTE 16X22X10</b>     |                    |                     |
|                           | <b>KTE 16X22X12</b>     |                    |                     |
|                           |                         | <b>KU 16X22X12</b> |                     |
|                           |                         |                    | <b>KUZ 16X22X12</b> |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |      |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|------|----|------------------------------|-----------------------|
|               | dr                  | Dr   | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |      |    |                              |                       |
| 2.1           | 8                   | 12   | 8  | 400                          | 340                   |
| 4             | 12                  | 16   | 10 | 620                          | 670                   |
| 5.1           | 12                  | 17   | 10 | 750                          | 740                   |
| 5             | 13                  | 18   | 10 | 690                          | 680                   |
| 5.2           | 13                  | 18   | 12 | 820                          | 850                   |
| 6.1           | 14                  | 19   | 12 | 820                          | 860                   |
| 7             | 14                  | 20   | 10 | 900                          | 870                   |
| 8.5           | 14.1                | 20.1 | 12 | 1000                         | 1000                  |
| 8             | 14.4                | 20.4 | 10 | 810                          | 760                   |
| 7             | 15                  | 20   | 10 | 790                          | 830                   |
| 7             | 15                  | 21   | 11 | 1020                         | 1040                  |
| 7             | 16                  | 21   | 10 | 840                          | 920                   |
| 8.5           | 16                  | 22   | 10 | 810                          | 780                   |
| 9             | 16                  | 22   | 12 | 1080                         | 1130                  |
| 10            | 16                  | 22   | 12 | 1060                         | 1100                  |
| 10            | 16                  | 22   | 12 | 1060                         | 1100                  |

## 珠巢型

Needle roller and cage assemblies

引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE




KUZ




KU

KTE KUZ KU



KTE



KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series        |                    |                       |
|---------------------------|-----------------------|--------------------|-----------------------|
| mm                        | KTE<br>K dr X Dr X B  | KU 分離式             | KUZ 一體式               |
| 17                        | <b>KTE 17X23X14</b>   |                    |                       |
| 18                        | <b>KTE 18X24X11.5</b> |                    |                       |
|                           | <b>KTE 18X24X12</b>   |                    |                       |
|                           |                       | <b>KU 18X24X12</b> |                       |
|                           |                       |                    | <b>KUZ 18X24X12</b>   |
|                           | <b>KTE 18X24X13</b>   |                    |                       |
|                           |                       |                    | <b>KUZ 18X24X13.3</b> |
|                           | <b>KTE 18X24X13.5</b> |                    |                       |
| 19                        | <b>KTE 19X25X15</b>   |                    |                       |
|                           | <b>KTE 19X25X16</b>   |                    |                       |
| 20                        | <b>KTE 20X26X11.5</b> |                    |                       |
|                           | <b>KTE 20X26X14</b>   |                    |                       |
|                           |                       | <b>KU 20X26X14</b> |                       |
|                           |                       |                    | <b>KUZ 20X26X14</b>   |
|                           | <b>KTE 20X26X15</b>   |                    |                       |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15。

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |    |      | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|----|------|------------------------------|-----------------------|
|               | dr                  | Dr | B    | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |    |      |                              |                       |
| 12            | 17                  | 23 | 14   | 1260                         | 1400                  |
| 12            | 18                  | 24 | 11.5 | 1120                         | 1230                  |
| 13            | 18                  | 24 | 12   | 1120                         | 1230                  |
| 13            | 18                  | 24 | 12   | 1120                         | 1230                  |
| 13            | 18                  | 24 | 12   | 1120                         | 1230                  |
| 14            | 18                  | 24 | 13   | 1240                         | 1400                  |
| 14            | 18                  | 24 | 13   | 1240                         | 1400                  |
| 14            | 18                  | 24 | 13   | 1330                         | 1530                  |
| 13            | 18                  | 24 | 15   | 1430                         | 1670                  |
| 12            | 19                  | 25 | 15   | 1330                         | 1540                  |
| 13            | 19                  | 25 | 16   | 1430                         | 1690                  |
| 11            | 20                  | 26 | 11.5 | 1110                         | 1240                  |
| 14            | 20                  | 26 | 14   | 1390                         | 1670                  |
| 14            | 20                  | 26 | 14   | 1460                         | 1780                  |
| 14            | 20                  | 26 | 14   | 1460                         | 1780                  |
| 15            | 20                  | 26 | 15   | 1500                         | 1830                  |

## 珠巢型

Needle roller and cage assemblies


引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE

KUZ

KU

KTE KUZ KU



KTE

KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series       |             |              |
|---------------------------|----------------------|-------------|--------------|
| mm                        | KTE<br>K dr X Dr X B | KU 分離式      | KUZ 一體式      |
| 20                        | KTE 20X26X16         |             |              |
|                           | KTE 20X26X17         |             |              |
|                           |                      |             | KUZ 20X27X14 |
|                           | KTE 20X27X16         |             |              |
|                           | KTE 20X28X14         |             |              |
| 22                        | KTE 22X28X14         |             |              |
|                           | KTE 22X28X15         |             |              |
|                           | KTE 22X28X16         |             |              |
|                           |                      | KU 22X28X16 |              |
|                           |                      |             | KUZ 22X28X16 |
|                           | KTE 22X29X14         |             |              |
|                           |                      | KU 22X29X14 |              |
|                           | KTE 22X29X15         |             |              |
|                           | KTE 22X29X16         |             |              |
|                           | KTE 22X29X17         |             |              |
|                           |                      | KU 22X29X17 |              |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |    |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|----|----|------------------------------|-----------------------|
|               | dr                  | Dr | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |    |    |                              |                       |
| 16            | 20                  | 26 | 16 | 1590                         | 1980                  |
| 16            | 20                  | 26 | 17 | 1690                         | 2140                  |
| 18            | 20                  | 27 | 14 | 1560                         | 1750                  |
| 19            | 20                  | 27 | 16 | 1690                         | 1930                  |
| 19            | 20                  | 28 | 14 | 1700                         | 1800                  |
| 11            | 22                  | 28 | 14 | 1380                         | 1690                  |
| 12            | 22                  | 28 | 15 | 1390                         | 1690                  |
| 17            | 22                  | 28 | 16 | 1590                         | 2020                  |
| 18            | 22                  | 28 | 16 | 1910                         | 2590                  |
| 18            | 22                  | 28 | 16 | 1910                         | 2590                  |
| 13            | 22                  | 29 | 14 | 1640                         | 1910                  |
| 15            | 22                  | 29 | 14 | 1810                         | 2190                  |
| 15            | 22                  | 29 | 15 | 1760                         | 2100                  |
| 16            | 22                  | 29 | 16 | 1890                         | 2290                  |
| 17            | 22                  | 29 | 17 | 2000                         | 2474                  |
| 18            | 22                  | 29 | 17 | 1990                         | 2460                  |

## 珠巢型

Needle roller and cage assemblies

引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE

KUZ


KU

KTE KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series       |             |                  |
|---------------------------|----------------------|-------------|------------------|
| mm                        | KTE<br>K dr X Dr X B | KU 分離式      | KUZ 一體式          |
| 22                        |                      |             | KUZ 22X29X17     |
|                           | KTE 23.1X28.1X14     |             |                  |
| 24                        |                      |             | KUZ 24X30X15     |
|                           | KTE 24X30X17         |             |                  |
|                           |                      |             | KUZ 24X30X17     |
|                           | KTE 24X30X20         |             |                  |
|                           | KTE 24X31X17         |             |                  |
|                           |                      |             | KUZ 24X31X17     |
|                           | KTE 24X31X18         |             |                  |
|                           |                      |             | KUZ 24X31X18     |
|                           |                      |             | KUZ 24.3X32.3X16 |
| 25                        |                      | KU 25X31X17 |                  |
|                           | KTE 25X32X16         |             |                  |
|                           |                      |             | KUZ 25X32X16     |
|                           | KTE 25X32X20         |             |                  |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.



KTE

KUZ KU

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |      |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|------|----|------------------------------|-----------------------|
|               | dr                  | Dr   | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |      |    |                              |                       |
| 19            | 22                  | 29   | 17 | 1990                         | 2460                  |
| 18            | 23.1                | 28.1 | 14 | 1350                         | 1880                  |
| 19            | 24                  | 30   | 15 | 1700                         | 2270                  |
| 19            | 24                  | 30   | 17 | 1740                         | 2330                  |
| 20            | 24                  | 30   | 17 | 1810                         | 2470                  |
| 23            | 24                  | 30   | 20 | 1960                         | 2710                  |
| 22            | 24                  | 31   | 17 | 2120                         | 2740                  |
| 23            | 24                  | 13   | 17 | 2300                         | 3040                  |
| 23            | 24                  | 13   | 18 | 2210                         | 2880                  |
| 24            | 24                  | 31   | 18 | 2430                         | 3260                  |
| 25            | 24.3                | 32.3 | 16 | 2260                         | 2730                  |
| 30            | 24                  | 32   | 20 | 2860                         | 3690                  |
| 21            | 25                  | 31   | 17 | 1800                         | 2480                  |
| 23            | 25                  | 32   | 16 | 1970                         | 2510                  |
| 24            | 25                  | 32   | 16 | 2150                         | 2820                  |
| 26            | 25                  | 32   | 20 | 2570                         | 3540                  |

## 珠巢型

Needle roller and cage assemblies


引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE

KUZ

KU

KTE KUZ KU



KTE

KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series          |                    |                     |
|---------------------------|-------------------------|--------------------|---------------------|
| mm                        | KTE<br>K dr X Dr X B    | KU 分離式             | KUZ 一體式             |
| 25                        |                         | <b>KU 25X32X20</b> |                     |
|                           | <b>KTE 25.1X30.1X14</b> |                    |                     |
|                           |                         |                    | <b>KUZ 25X33X18</b> |
| 26                        | <b>KTE 25X34X18</b>     |                    |                     |
|                           | <b>KTE 26X31X14</b>     |                    |                     |
|                           | <b>KTE 26X31X15</b>     |                    |                     |
|                           | <b>KTE 26X31X16</b>     |                    |                     |
|                           | <b>KTE 26X32X14</b>     |                    |                     |
|                           |                         | <b>KU 26X32X20</b> |                     |
|                           | <b>KTE 26X33X14</b>     |                    |                     |
|                           | <b>KTE 26X33X18</b>     |                    |                     |
|                           | <b>KTE 26X34X20</b>     |                    |                     |
|                           |                         | <b>KU 26X34X20</b> |                     |
| 27                        |                         |                    | <b>KUZ 26X34X20</b> |
|                           |                         |                    | <b>KUZ 26X35X20</b> |
|                           |                         |                    | <b>KUZ 27X34X21</b> |

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |      |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|------|----|------------------------------|-----------------------|
|               | dr                  | Dr   | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |      |    |                              |                       |
| 27            | 25                  | 32   | 20 | 2690                         | 3740                  |
| 14            | 25.1                | 30.1 | 14 | 1440                         | 2100                  |
| 30            | 25                  | 33   | 18 | 2450                         | 3040                  |
| 37            | 25                  | 34   | 18 | 2640                         | 3100                  |
| 15            | 26                  | 31   | 14 | 1420                         | 2090                  |
| 16            | 26                  | 31   | 15 | 1580                         | 2400                  |
| 18            | 26                  | 31   | 16 | 1700                         | 2640                  |
| 20            | 26                  | 32   | 14 | 1630                         | 2210                  |
| 24            | 26                  | 32   | 20 | 2420                         | 3670                  |
| 23            | 26                  | 33   | 14 | 1790                         | 2240                  |
| 28            | 26                  | 33   | 18 | 2200                         | 2900                  |
| 30            | 26                  | 34   | 20 | 2710                         | 3500                  |
| 31            | 26                  | 34   | 20 | 2970                         | 3960                  |
| 32            | 26                  | 34   | 20 | 2970                         | 3960                  |
| 40            | 26                  | 35   | 20 | 2930                         | 3590                  |
| 25            | 27                  | 34   | 21 | 2790                         | 4000                  |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.

## 珠巢型

Needle roller and cage assemblies

引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE




KUZ




KU

KTE KUZ KU



KTE



KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series       |                     |                     |  |
|---------------------------|----------------------|---------------------|---------------------|--|
| mm                        | KTE<br>K dr X Dr X B | KU 分離式              | KUZ 一體式             |  |
| 27                        |                      |                     | <b>KUZ 27X35X18</b> |  |
|                           | <b>KTE 27X36X18</b>  |                     |                     |  |
|                           | <b>KTE 27X36X21</b>  |                     |                     |  |
| 28                        | <b>KTE 27X37X22</b>  |                     |                     |  |
|                           | <b>KTE 28X33X14</b>  |                     |                     |  |
|                           | <b>KTE 28X34X17</b>  |                     |                     |  |
|                           | <b>KTE 28X35X14</b>  |                     |                     |  |
|                           | <b>KTE 28X35X16</b>  |                     |                     |  |
|                           |                      |                     | <b>KUZ 28X35X16</b> |  |
|                           | <b>KTE 28X35X18</b>  |                     |                     |  |
|                           | <b>KTE 28X35X20</b>  |                     |                     |  |
|                           | <b>KTE 28X36X14</b>  |                     |                     |  |
|                           | <b>KTE 28X36X16</b>  |                     |                     |  |
|                           |                      | <b>KU 28X36X18</b>  |                     |  |
|                           | <b>KTE 28X36X20</b>  |                     |                     |  |
|                           |                      | <b>KUZ 28X38X16</b> |                     |  |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |    |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|----|----|------------------------------|-----------------------|
|               | dr                  | Dr | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |    |    |                              |                       |
| 33            | 27                  | 35 | 18 | 2540                         | 3260                  |
| 38            | 27                  | 36 | 18 | 2620                         | 3140                  |
| 40            | 27                  | 36 | 21 | 3070                         | 3850                  |
| 55            | 27                  | 37 | 22 | 3430                         | 4150                  |
| 20            | 28                  | 33 | 14 | 1520                         | 2330                  |
| 23            | 28                  | 34 | 17 | 2210                         | 3350                  |
| 25            | 28                  | 35 | 14 | 1860                         | 2400                  |
| 26            | 28                  | 35 | 16 | 2130                         | 2860                  |
| 28            | 28                  | 35 | 16 | 2090                         | 2790                  |
| 28            | 28                  | 35 | 18 | 2400                         | 3330                  |
| 40            | 28                  | 35 | 20 | 2520                         | 3560                  |
| 29            | 28                  | 36 | 14 | 1990                         | 2400                  |
| 32            | 28                  | 36 | 16 | 2380                         | 3030                  |
| 33            | 28                  | 36 | 18 | 2650                         | 3480                  |
| 38            | 28                  | 36 | 20 | 2700                         | 3540                  |
| 48            | 28                  | 38 | 16 | 2730                         | 3140                  |

## 珠巢型

Needle roller and cage assemblies


引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE

KUZ

KU

KTE KUZ KU



KTE

KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series       |                     |                     |
|---------------------------|----------------------|---------------------|---------------------|
| mm                        | KTE<br>K dr X Dr X B | KU 分離式              | KUZ 一體式             |
| 29                        |                      | <b>KU 29X36X18</b>  |                     |
| 30                        | <b>KTE 30X37X14</b>  |                     |                     |
|                           | <b>KTE 30X37X16</b>  |                     |                     |
|                           | <b>KTE 30X37X20</b>  |                     |                     |
|                           | <b>KTE 30X38X16</b>  |                     |                     |
|                           | <b>KTE 30X38X17</b>  |                     |                     |
|                           |                      | <b>KU 30X38X17</b>  |                     |
|                           |                      |                     | <b>KUZ 30X38X17</b> |
|                           | <b>KTE 30X38X18</b>  |                     |                     |
|                           |                      | <b>KU 30X38X18</b>  |                     |
|                           |                      | <b>KU 30X38X20</b>  |                     |
|                           |                      |                     | <b>KUZ 30X39X20</b> |
|                           |                      |                     | <b>KUZ 30X39X22</b> |
|                           |                      |                     | <b>KUZ 30X40X20</b> |
|                           |                      | <b>KUZ 30X40X23</b> |                     |
| 32                        |                      | <b>KU 32X40X18</b>  |                     |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |    |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|----|----|------------------------------|-----------------------|
|               | dr                  | Dr | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |    |    |                              |                       |
| 33            | 29                  | 36 | 18 | 2450                         | 3470                  |
| 24            | 30                  | 37 | 14 | 1930                         | 2580                  |
| 26            | 30                  | 37 | 16 | 2210                         | 3070                  |
| 35            | 30                  | 37 | 20 | 2620                         | 3820                  |
| 36            | 30                  | 38 | 16 | 2470                         | 3240                  |
| 38            | 30                  | 38 | 17 | 2630                         | 3510                  |
| 40            | 30                  | 38 | 17 | 2860                         | 3920                  |
| 40            | 30                  | 38 | 17 | 2750                         | 3720                  |
| 39            | 30                  | 38 | 18 | 2790                         | 3780                  |
| 40            | 30                  | 38 | 18 | 2860                         | 3920                  |
| 43            | 30                  | 38 | 20 | 3190                         | 4510                  |
| 68            | 30                  | 39 | 20 | 3350                         | 4450                  |
| 70            | 30                  | 39 | 22 | 3690                         | 5030                  |
| 80            | 30                  | 40 | 20 | 3450                         | 4300                  |
| 85            | 30                  | 40 | 23 | 3960                         | 5150                  |
| 43            | 32                  | 40 | 18 | 3130                         | 4470                  |

## 珠巢型

Needle roller and cage assemblies


引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE

KUZ

KU

KTE KUZ KU



KTE

KUZ KU

| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series       |                     |                     |                     |
|---------------------------|----------------------|---------------------|---------------------|---------------------|
| mm                        | KTE<br>K dr X Dr X B | KU 分離式              | KUZ 一體式             |                     |
| 32                        | <b>KTE 32X40X20</b>  | <b>KU 32X40X20</b>  | <b>KUZ 32X40X20</b> |                     |
|                           | <b>KTE 32X40X22</b>  |                     |                     |                     |
|                           | <b>KTE 32X41X18</b>  | <b>KU 32X41X18</b>  |                     |                     |
|                           | <b>KTE 32X41X20</b>  |                     |                     |                     |
|                           |                      | <b>KU 32X41X20</b>  |                     |                     |
|                           |                      | <b>KU 32X41X21</b>  |                     |                     |
|                           | 33                   | <b>KTE 33X41X20</b> | <b>KU 33X41X20</b>  | <b>KUZ 33X41X20</b> |
|                           |                      |                     |                     |                     |
|                           |                      | <b>KU 33X43X22</b>  |                     |                     |
|                           |                      |                     |                     |                     |
| 34                        |                      | <b>KU 34X43X20</b>  | <b>KUZ 34X43X21</b> |                     |
|                           |                      |                     |                     |                     |
|                           |                      | <b>KU 34X43X22</b>  |                     |                     |

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |    |    | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|----|----|------------------------------|-----------------------|
|               | dr                  | Dr | B  | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |    |    |                              |                       |
| 45            | 32                  | 40 | 20 | 2920                         | 4070                  |
| 45            | 32                  | 40 | 20 | 3300                         | 4790                  |
| 45            | 32                  | 40 | 20 | 3300                         | 4790                  |
| 45            | 32                  | 40 | 22 | 3200                         | 4600                  |
| 50            | 32                  | 41 | 18 | 3030                         | 3930                  |
| 52            | 32                  | 41 | 18 | 3300                         | 4440                  |
| 52            | 32                  | 41 | 20 | 3350                         | 4500                  |
| 53            | 32                  | 41 | 20 | 3480                         | 4750                  |
| 54            | 32                  | 41 | 21 | 3650                         | 5060                  |
| 43            | 33                  | 41 | 20 | 3030                         | 4330                  |
| 45            | 33                  | 41 | 20 | 3280                         | 4800                  |
| 45            | 33                  | 41 | 20 | 3280                         | 4800                  |
| 65            | 33                  | 43 | 20 | 4130                         | 5580                  |
| 58            | 34                  | 43 | 20 | 3940                         | 5670                  |
| 59            | 34                  | 43 | 21 | 3640                         | 5100                  |
| 60            | 34                  | 43 | 22 | 3810                         | 5420                  |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.



## 珠巢型

Needle roller and cage assemblies

引擎連桿用—大端部  
For connecting rod applications-for big end引擎連桿用—大端部—重荷型  
For connecting rod applications-for big end, heavy duty

KTE



KUZ




KU

KTE KUZ KU


| 配合軸徑<br>Suitable diameter | 軸承型號<br>Series       |               |                |
|---------------------------|----------------------|---------------|----------------|
| mm                        | KTE<br>K dr X Dr X B | KU 分離式        | KUZ 一體式        |
| 34                        |                      |               | KUZ 34X43X22   |
| 35                        |                      | KU 35X46X23.2 |                |
|                           |                      |               | KUZ 35X46X23.2 |
| 36                        |                      | KU 36X47X22   |                |
|                           |                      | KU 36X47X25   |                |
| 38                        |                      | KU 38X47X20   |                |
| 55                        |                      | KU 55X63X32   |                |
| 60                        |                      | KU 60X82X36   |                |
|                           |                      | KU 60X84X36   |                |

(1)除了標準的型號之外，SYI亦接受訂製特殊的尺寸規格，特殊型號標示為K drXDrXB例如K 20X26X15.

Other than the series shown above, custom-made orders are available according to the series number K drXDrXB.



KTE



KUZ KU

| 單位重<br>Weight | 尺寸 Dimensions<br>mm |    |      | 基本額定負荷<br>Basic load ratings |                       |
|---------------|---------------------|----|------|------------------------------|-----------------------|
|               | dr                  | Dr | B    | 動 Dynamic<br>C<br>kgf        | 靜 Static<br>Co<br>kgf |
| g             |                     |    |      |                              |                       |
| 60            | 34                  | 43 | 22   | 3810                         | 5420                  |
| 78            | 35                  | 46 | 23.2 | 4880                         | 6610                  |
| 78            | 35                  | 46 | 23.2 | 4880                         | 6610                  |
| 75            | 36                  | 47 | 22   | 4590                         | 6140                  |
| 81            | 36                  | 47 | 25   | 5200                         | 7210                  |
| 125           | 38                  | 47 | 20   | 4020                         | 6030                  |
| 130           | 55                  | 63 | 32   | 5940                         | 1210                  |
| 450           | 60                  | 82 | 36   | 15070                        | 20860                 |
| 600           | 60                  | 84 | 36   | 16600                        | 22440                 |